



Phase 3 - FAQ (Migrating catalogues from ASCII to FITS format)

Matheus Guilherme Brito - 2021-10-05 - Comments (0) - FAQs (Phase 3)

Q: How to convert an ascii file (table) to a fits file?

A: You can perform the following steps:

1. Create a comma separated ascii table. For example if the table (cat1.txt) has n columns separated by white spaces:

```
awk '{print $1,",$2,",$3,",$...,",$n-1,",$n}' cat1.txt > cat2.txt
```

2. Convert the new table (cat2.txt) into a fits file using the **stilts** tool:

```
stilts tcopy cat2.txt cat.fits ifmt=csv ofmt=fits-basic
```

Usage:

```
stilts <stilts-flags> tcopy ifmt=<in-format> ofmt=<out-format> [in=<table>] [out=<out-table>]
```

3. Add the missing header keywords according to the [ESO Science Data Products Standard](#).

The STIL Tool Set can be downloaded from:

<http://www.star.bris.ac.uk/~mbt/stilts/#install>

For more information please check the following documentation:

<http://www.star.bris.ac.uk/~mbt/stilts/>

<http://www.star.bris.ac.uk/~mbt/stilts/sun256/tcopy.html>

Tags

FAQ

Phase 3

Related Content

- [Phase 3 - FAQ \(Transferring file to the phase3ftp\)](#)
- [Phase 3 - FAQ \(Renaming downloaded Phase 3 products to their original file names\)](#)
- [Phase 3 - FAQ \(Converting a spectrum to the Phase 3 required binary table format\)](#)

- [Phase 3 - FAQ \(Instrument specific keyword value hints\)](#)